MACHINE DESIGN

Index to Volume 20, January to December 1948

Author Index

Armitage, J. B.—"Straight-Sided Splines,"* Aug. p.101
Armstrong, John H.—"Ball Release Mechanism," Nov. p.95
Arnold, R. E.—"When You Design—In Shell Type Motors," Apr. p.157
Ashton, Benjamin N.—"Designing for Economical Manufacture," Feb. p.101
Bachelor, A. T.—"Assures Accurate Positioning," May p.144
Bailey, Charles and David Boyd—"Channel-Grid Stiffener System," Aug. p.118
Baker, J. G.—"Elastic Matching Improves Bearing Life," May p.106
Balleisen, Charles E.—"Analyzing Graphical Records," June p.145
Bariffi, Herbert F.—"Offset Pivot Reduces Sector Gear Noise," June p.131
Baxter, M. L., Jr.—"Cam Curvature Formulas" (Data Sheet), Feb. p.159
Berkol, Roland J. and Stanley P. Watkins—"Which Wrought Stainless Steel?" Part I—"Properties and Processability," Mar. p. 107; Part II—"Fitting the Material to the Part," Apr. p.174
Bloomfield, B.—"Designing Tapered Gears," Mar. p.125
Bolz, H. A.—"A Design for Morale in the Engineering Department," Aug. p.89
Bolz, Roger W.—"Production Processes, Their Influence on Design," Part XXXI—"Automatic and Shape Turnings," Feb. p.129; Part XXXII—"Production Grinding," Mar. p.135; Part XXXIII—"Production Grinding, Design Factors," May p.111; Part XXXIV—"Honing and Lapping," June p.133; Part XXXV—"Superfinishing," July p.119; Part XXXVI—"Hot Extrusion of Metals," Aug. p.107; Part XXXVII—"Cold Drawing," Sept. p.129; Part XXXVIII—"Spot Welding," Nov. p.127; Part XXXIX, "Seam Welding," Dec. p.115
Boyd, David and Charles Bailey—"Channel-Grid Stiffener System," Aug. p.118
Boyd, John—"Studying Lubrication,"* Aug. p.104
Brown, Norman N.—"Steels and Their Treatment," Part I—"Selection," Oct. p.87; Part II—"Conditioning Processes," Nov. p.110
Browne, L. H.—"Various Strokes and Speeds from Common Shaft," Apr. p.117
Brunken, R. and W. Howard—"Single-Stage Torque Converters," Apr. p.155
Carmichael, Colin—"Planetary Gear Calculations" (Data Sheet), Mar. p.165
Clark, R. H.—"High-Speed Cycling," Apr. p.101
Carliss, O. S.—"New Dial Scale," Nov. p.149
Collinsworth, E. T., Jr.—"How To Combat Corrosion through Design," Part I—"Causes of Corrosion, Feb. p.116; Part II—"Design Measures," Mar. p.142
Crede, Charles E.—"Determining Moment of Inertia," Aug. p.138
Cunningham, Chester B.—"Mechanical Vibration Recorder," Jan. p.133
Conway, H. G.—"Inverted Relief Valves," May p.129
Dooley, James L.—"Controlling Pneumatic Cylinders," Apr. p.119
Elberty, R. S.—"Air Jets. . .their characteristics for gaging devices," Jan. p.111
Erickson, James L.—"How to Design Pressure Moldings," Sept. p.118
Ewald, Warren—"Relay Prevents Short Cycling," Aug. p.106
Etherington, H.—"Atomic Power for Industry," July p.91
Famme, Joseph H. and Harvey F. Gerwig—"Why Pneumatics?" Part I—"System and Equipment," June 116; Part II—"Development and Research," July p.138
Faust, and Wm. H. Safranek—"Platings for Machine Parts," Nov. p.145
Flick, Frank—"Hydraulic Seals, Selecting Sliding Types," Nov. p.139
Fuchs, Henry O.—"Trapped Stresses," July p.114
Furfari, F. A.—"Provides Automatic Load Control," Nov. p.109
Gepfert, J. H.—"Differential Registers Synchronous Speed," Apr. p.115
Gerstenmaier, John H.—"How To Design Molded and Extruded Rubber Parts," Aug. p.115
Gerwig, Harvey F. and Joseph H. Famme—"Why Pneumatics?" Part I—"System and Equipment," June p.116; Part II—"Development and Research," July p.138
Gibson, W. B.—"Three-State Torque Converters," Apr. p.152
Gorman, W. J. Jr.—"Utilizing Selsyns in Machines," Mar. p.116
Gotberg, Harry H.—"Broaching Spline Shafts and Fittings,"* Aug. p.102
Graham, L. A.—"Twelve Years To Discover the Obvious," Sept. p.107
Grether, Walter F.—"Designing Instrument Dials," June p.150
Guins, Sergei G.—"Modified Approach Permits Flexible Planetary Design," Sept. p.141
Guins, V. G. and G. H. Heiser—"Disk Stresses," Feb. p.144
Gutman, Alfred S.—"Eliminating Vibration in High-Speed Machines," Oct. p.118
Hall, A. S.—"Mechanism Proportion Calculation," Feb. p.111
Hammer, C. F.—"Assures Maximum Braking Effort," Apr. p.116
Hammond, W. E.—"Reduction and Reversing Drives for Gas Turbines," Feb. p.149
Hart, L. P., Jr.—"Adhesives. . . their properties and use in electrical equipment," Jan. p.122
Harvey, M. E.—"Model Analysis Aids Designer," Jan. p.120

* Denotes short articles of less than one page.

Heiser, G. H. and V. G. Guins—"Disk Stresses," Feb. p.144
Heil, G. R.—"Co-ordinating Design and Manufacture," Nov. p.117
Helterline, Leo—"Motor Speed Control" (saturable-core reactor), Sept. p.137
Herchenroeder, L. W.—"Choosing a DC Power Source," June p.140
Hill, T. C. and E. G. Riley—"Two-Pressure Aircraft Hydraulic System," Feb. p.123
Howard, W. and R. Brunken—"Single-Stage Torque Converters," Apr. p.155
Howarth, H. A. S.—"Load Capacity and Friction of Pivoted-Shoe Bearings," (Data Sheet), Part I—"Thrust Bearings," July p.151; Part II—"Journal Bearings," Aug. p.149
Howell, R. C. and M. E. Mundel—"Applying Time and Motion Study Principles in Design," Aug. p.121
Hrones, John A.—"Dynamic Forces in Cam Mechanisms," Jan. p.135
Immel, R. B.—"Interlocks. . .protect machines," Apr. p.131
Jobst, Conrad—"Ball Bearing Slides," Jan. p.138
Johnson, Curt I.—"A New Approach to Spring Design," Aug. p.98
Kendall, Julius—"Hydraulic System Designed as Package," Apr. p.181
Ketcham, Howard—"Appearance Starts with Color," Sept. p.99
Koerner, P. A.—"Aluminum Furnace Brazing," Sept. p.128
Leopold, W.—"Rotating Disks at High Temperatures," Dec. p.141
LeTourneau, R. G.—"New Differential Insures Drive-Wheel Traction," July p.143
Lewis, Clayton R. and A. F. Underwood—"Designating Surface Roughness," Dec. p.137
Linderoth, L. S., Jr.—"Selecting Hydraulic Pressure Control Valves," Apr. p.105
Lofgren, Kenneth E.—"Calculating Deflection of Curved Beams," Nov. p.121
Lotz, Richard K.—"Kirby, the Man behind Less Work in the Home," July p.106
Mabie, H. H.—"Constant Velocity Joints," May p.101
Mall, A. W.—"Aluminum Cylinders Increase Power, Decrease Weight," Nov. p.136
Martin, Louis D.—"Designing Instrument Gearing," Apr. p.163
Mattes, H. L. and W. O. Sweeney—"Investment Castings," May p.91
Maxon, C. R.—"Cores in Die Casting Design,"* Aug. p.105
Mazia, Joseph—"Finishes for Machine Parts," Oct. p.125
McWhorter, J. F.—"Comparing Rubbers," Feb. p.138
Mecklenborg, R. H.—"Time Control Mechanisms," July p.132
Mikulak, J.—"Designing for Welding," Sept. p.147
Mundel, M. E. and R. C. Howell—"Applying Time and Motion Study Principles in Design," Aug. p.121
Murray, A. F.—"Cutting Production Costs? Watch Design Details," May p.126
Nachod, Carl P.—"Calculating Deflections of Hollow Shafts in Torsion" (Data Sheet), May p.151
Norcross, G. F.—"Design Innovations in Yarn Spinner," Oct. p.108
Nowland, Roger L.—"Predesign Research," Oct. p.96
Oplinger, K. A.—"Gyroscopes and Their Applications," July p.101
Osborn, H. B., Jr.—"Induction Heating Possibilities,"* Aug. p.176
Patterson, Albert M.—"Program Controls. . .a guide to their selection," May p.137
Peery, Walter E.—"High Voltages in Electronics," June p.123
Penfold, Norman C.—"What Recent Research Offers the Designer," June p.107
Pierce, D. L.—"Redesigning To Withstand Shock," Aug. p.127
Pond, Ronald F.—"Selecting Protective Finishes for Springs," Dec. p.128
Porter, Frederic P.—"Torsional Vibration Frequency Calculation," Jan. p.153
Prior, T. W.—"Selecting Engineering Personnel," Dec. p.133
Rappaport, Sigmund—"A Neglected Design Detail," Sept. p.140
Reese, H. M.—"Hydraulic Circuit Analysis," Mar. p.149
Reich, Robert A.—"Projection Welding of Fasteners,"* Aug. p.104
Roberts, J. A.—"Indicates Speed from Hydraulic Circuit," Apr. p.114
Riley, E. G. and T. C. Hill—"Two-Pressure Aircraft Hydraulic System," Feb. p.123
Roos, P. K. and J. A. Sauer—"Obtaining Fatigue-Test Data," Oct. p.115
Rosebrough, John D.—"Variable-Speed Fluid Drives," Apr. p.149
Rounds, Thomas E.—"Superprecision Ball Bearings," Part I—"Selection for Design and Type," Nov. p.103; Part II—"Selection for Grade of Accuracy and Speed," Dec. p.122
Ruhl, Fremont F.—"High-Temperature Face Seals," Jan. p.127
Rutemiller, Oren G.—"Provides Accurate Cut-Off Control," June, p.122
Ryckman, George E.—"Adjustable Drive Utilizes Flexible Shafts," Apr. p.113
Sauer, J. A. and P. K. Roos—"Obtaining Fatigue-Test Data," Oct. p.115
Safranek, Wm. H. and C. L. Faust—"Platings for Machine Parts," Nov. p.145
Schmitter, Walter P.—"Engineering Education. . .is joint responsibility," Sept. p.123
Schwarz-Kast, E. L.—"Variable-Speed Drives," Apr. p.169
Sherriff, Fred—"Built-In Overload Protection for Control Valve," Apr. p.180

Slaymaker, Philip K.—"Analyzing Circular-Arc Cams," July p.129
Snyder, F. D.—"Controlled Braking of Motor-Driven Machines," Dec. p.125
Spence, Hubert L.—"Developing the Standard Car Coupler," Aug. p.100
Stanard, Charles H.—"Involute Spline Experiences,"* Aug. p.102
Stewart, W. C.—"Bolted Assemblies," Mar. p.153
Stolze, G. A.—"Investment Castings," Aug. p.139
Storatz, G. J.—"How Trailbuilder Units Were Designed for Arc Welding," Jan. p.143
Studders, R. J.—"Permanent Magnets in Design," Oct. p.111
Sutherland, Charles R.—"A Plan for Engineering Accomplishment," Sept. p.112
Sutton, George P.—"Rocket Motors, practical design problems," Dec. p.101
Swartz, J. H.—"Nonmetallic Diaphragms. . .their design and application," June p.153
Sweeney, W. O. and H. L. Mattes—"Investment Castings," May p.91
Tabakman, H. D.—"Ring Deflection Calculations," Mar. p.131
Talbourdet, G. J.—
"Intermittent Mechanisms,"* Aug. p.98
"Intermittent Mechanisms" (Data Sheet), Part I, Sept. p.159; Part II, Oct. p.135; Part III, Nov. p.159
Taylor, Norman W.—"Simplified Dimensioning System," Feb. p.135
Temin, J. T.—"Designing for Induction Hardening," Aug. p.178
Templin, R. L.—"Development of a High-Speed Lathe," Jan. p.140
Trundle, George T., Jr.—"Engineering Department Functions and Organization," July p.125
Underwood, Arthur F. and C. R. Lewis—"Designating Surface Roughness," Dec. p.137
Vessey, Philip W.—"Sequence Control Uses Endless Belt," Apr. p.130
Watkins, Stanley P. and Roland J. Berkol—"Which Wrought Stainless Steel?" Part I—"Properties and Processability," Mar. p.107; Part II—"Fitting the Material to the Part," Apr. p.174
White, Roger—"Design of Glass-Reinforced Plastic Parts," Oct. p.103
Wightman, L. W.—"Air-Driven Spinners," May p.121
Wilson, Warren E.—"Hydraulic Clutches of the Positive Displacement Type," Jan. p.115
Wohlberg, George—"Gear Noise," Aug. p.133
Wright, H. D.—"Low-Torque Potentiometers," May p.134
Zamis, Anthony F.—"Hobs for Spline Shafts,"* Aug. p.103

Subject Index

A

Air compressors (*see Compressors*)
Air cylinders (*see Cylinders*)
Accumulator diaphragms, selection of, June p.158
Accumulators in pneumatic systems, discussion of, June p.119
Actuator, hydraulic, positive locking,* Dec. p.184
Actuator, solenoid, push-pull (Phillips Control Corp.)*, Aug. p.156
Adhesion of rubber to metal, discussion of, Aug. p.116
Adhesives:
cold-setting (Schwartz Chemical Co.)*, Oct. p.143
discussion of in electrical equipment, Jan. p.122
modified phenolic (General Electric)*, Apr. p.192
silicone rubber type, G-E 12509 (General Electric)*, Mar. p.172
Adsorber, gas, air-line (W. B. Connor Engineering Corp.)*, Oct. p.141
Air jets for gaging devices, discussion of, Jan. p.111
Air-mercury sizing used on grinders (Scanning)*, June p.115
Air separator (Chicago Mfg.)*, Mar. p.174
Aircraft hydraulic system, two-pressure type, Feb. p.123
Alternator, packaged (Electric Machinery Mfg.)*, Feb. p.166
Aluminum:
crane structure made of, July p.131
motor frame of (Applications)*, June p.164
production increased sevenfold (Topics)*, Aug. p.86
sheet, embossed (Reynolds Metals Co.)*, May p.164
sheet, plated (American Nickeloid Co.)*, Aug. p.162
space heater burner (Scanning)*, Jan. p.110
used in Ford cars (Topics)*, Aug. p.86
ASME Machine Design meeting highlights, Jan. p.135
ASME Milwaukee meeting, abstracts from, Aug. p.98
Amplidyne, electronic (General Electric)*, June p.169
Amplifier uses diamond crystal (Scanning)*, Mar. p.103
Analogy chart aids design*, Sept. p.146
Annealing of steels, discussion of, Nov. p.111
Anodizing by "mass" process used for aluminum rivets (Topics)*, Aug. p.86
Anti-reversing device, mechanical (Falk Corp.)*, May p.156
Appearance improved by color choice, discussion of, Sept. p.99
Arc template, large radius (Arcmeter Co.)*, June p.184
Atom smasher, electrostatic, made by General Electric (Topics)*, Jan. p.98
Atomic power for industry, discussion of, July p.91
Autofrettage, discussion of, July p.116
Automobile weight reduction (Abstracts), Feb. p.202

B

Ball bearing slides, discussion of, Jan. p.138
Balls, sapphire, polished (Linde Air Products Co.)*, June p.174
Balls, steel, precision (Atlas Ball Div., SKF)*, May p.162
Balls used for pump-impeller keys (Applications)*, June p.164
Batteries, storage, nickel-cadmium, retain charge (Topics)*, Nov. p.92
Beams, curved, calculating deflection of, Nov. p.121
Bearing-rating machine, discussion of (Scanning)*, Feb. p.109
Bearings:
jewel, shock-resistant, discussion of (Scanning)*, June p.113
magnetic, used in new meter, June p.143
pivoted-shoe, capacity of (Data Sheet), Aug. p.149
pivoted-shoe, design of (Data Sheet), July p.151
roller, cylindrical (Rollway Bearing Co.)*, June p.172
roller pillow block, flange-type (Heim Co.)*, Mar. p.174
spherical, hydrosphere, discussion of (Abstracts), Mar. p.202
thrust, miniature (New Hampshire)*, Oct. p.139
Bearings, ball:
high precision, Part I—"selection for design and type," Nov. p.103; Part II—"selection for grade of accuracy and speed," Dec. p.122
miniature (New Hampshire)*, Apr. p.188
self-aligning, double-row (Heim Co.)*, Mar. p.173
thin wall (Federal Bearings Co.)*, June p.169
Bearings, sleeve:
adjustable, spherical (scanning)*, Dec. p.108
life increased by elastic matching, May p.106
pivoted-pad type (Patents)*, Jan. p.170
porous-bronze (Precision Products Co.)*, Sept. p.163
zinc-base, used by Germans (Topics)*, May, p.86
Belts:
conveyor, woven-wire (Cambridge)*, Aug. p.160
endless, use sequence control, Apr. p.130
high-strength, V (Browning)*, Dec. p.167
high-strength, V (Manhattan Rubber Div.)*, May p.157
Nylon-reinforced, V (U. S. Rubber Co.)*, June p.180
toothed, nonslipping (L. H. Gilmer Div.)*, Jan. p.158
Bendix-Weiss constant velocity joint, discussion of, May, p.103
Blueprint developing machine (Paragon-Revolute Corp)*, Jan. p.168
Bolted assemblies, factors to be considered in use of, Mar. p.153
Books:
*American Standards Association revised price list**, Nov. p.178
Analysis and Design of Translator Chains by H. Ziebolz*, Jan. p.176
ASTM Standards, American Society for Testing Materials*, Jan. p.176
Basic Graphical Symbols for Electrical Apparatus, American Standards Association*, May p.153
Bibliography on Die Casting, Technical Publishing Co.*, Feb. p.162
Chemistry and Technology of Plastics by Raymond Nauth*, Jan. p.176
Cold Shaping of Steel, Heintz Mfg. Co.*, Jan. p.178
Compressed Air Handbook, Compressed Air and Gas Institute*, Jan. p.178
Corrosion Handbook edited by Herbert H. Uhlig*, July p.170
Design of Machine Elements by M. F. Spotts*, Nov. p.178
Directory of Commercial and College Laboratories, National Bureau of Standards*, Dec. p.192
Electronic Dictionary by N. M. Cooke and John Markus*, Jan. p.178
Electronics for Industry by W. I. Bendz*, Mar. p.182
Elements of Mechanism by Schwamb and Merrill*, Jan. p.176
Engineering Organization and Methods by James E. Thompson*, Aug. p.152
Falk's Solutions by Karl H. Falk*, May p.153
Finishes for Aluminum, Reynolds Metals Co.*, Feb. p.162
Fluid Mechanics by George F. Wislicenus*, July p.170
Forming of Austenitic Chromium-Nickel Stainless Steels by V. N. Krivobok and George Sachs*, May p.153
Fracture of Metals by M. Gensamer, E. Saibel, J. T. Ransom, and R. E. Lowrie*, Dec. p.192
Fundamentals of Engineering Mechanics by Alvin Sloan*, Mar. p.182
Fundamentals of Plastics by H. M. Richardson*, Mar. p.182
Gas Turbine Construction by R. Tom Sawyer*, Dec. p.186
Hardenability of Alloy Steels, Society of Automotive Engineers*, Aug. p.152
Industrial Electronics Reference Book, Westinghouse Electric Corp.*, Dec. p.190
Industrial Management by W. R. Spriegel and R. H. Lansburgh*, July p.170
Magnetic Control of Industrial Motors by Gerhart W. Heumann*, May p.153
Mechanical Vibrations by J. P. Den Hartog*, Aug. p.152
Metals Handbook, American Society for Metals*, Nov. p.178
Modern Metallurgy of Alloys by R. H. Harrington*, June p.188
Nomography by Alexander S. Levens*, June p.188
Powder Metallurgy by Dr. Henry H. Hausner*, May p.153
Powder Metallurgy by Paul Schwartzkopf*, Dec. p.188
Practical Design Handbook for Engineers by Alois Cibulka*, Feb. p.162
Precision Investment Casting by E. L. Cady*, Dec. p.186
Principles of Servomechanisms by G. S. Brown*, Dec. p.188
Radiography in Modern Industry, Eastman Kodak*, Mar. p.182
Radio Frequency Heating by G. H. Brown, C. N. Hoyler and R. A. Bierwirth*, Dec. p.190
SAE Handbook, Society of Automotive Engineers*, Jan. p.178
Servomechanism Fundamentals by H. Lauer, R. Lesnick and L. E. Matson*, Nov. p.178
Shot Peening, American Wheelabrator & Equipment Corp.*, July p.170
SPI Handbook, Society of the Plastic Industry Inc.*, Feb. p.162
Standard Welding Symbols, American Welding Society*, Dec. p.192
Steel and Its Heat Treatment by D. K. Bullens*, July p.170
Steel Castings by Eric N. Simons*, Aug. p.152
Stress Corrosion Cracking of Mild Steel by J. T. Waber and H. J. McDonald*, Nov. p.178
Symposium on Testing Bearings, American Society for Testing Materials*, June p.188
The Science and Engineering of Nuclear Power edited by Clark Goodman*, Dec. p.186
Theory of Mathematical Machines by F. J. Murray*, Feb. p.162
Waterbury's Handbook of Engineering by L. A. Waterbury*, June p.188
Boring spindle hydraulically actuated (Patents)*, Sept. p.178
Bottle unscrambler prevents jamming (Scanning)*, Jan. p.108
Brake linings, rivetless (Cutler-Hammer)*, Aug. p.168
Brake, small wheel (Saginaw Products)*, Dec. p.167
Braking, controlled, Dec. p.125
Braking device for trains, discussion of, Apr. p.116
Brazing, aluminum furnace, discussion of, Sept. p.128
Brazing, designing for, Dec. p.146

* Denotes short articles of less than one page.

Brazing of stainless-steel parts (Topics)*, Apr. p.98
Bronze, aluminum heading alloy (Ampco Metal)*, Aug. p.166
Bronze, wrought sheet (Ampco Metal)*, May p.155
Bulldozer is designed for arc welding, Jan. p.143
Buna N rubber, discussion of, Feb. p.140
Buna S rubber, discussion of, Feb. p.139
Burner for space heater made of aluminum alloy (Scanning)*, Jan. p.110
Bushings, carbide (Carboloy Co.)*, Aug. p.160
Butyl rubber, discussion of, Feb. p.141
Bushing, ball-type, reciprocating (Thomson Industries)*, Apr. p.190
Bushings, Kennametal (Kennametal Inc.)*, Dec. p.167

C

Cable-control unit (Southwest Products Co.)*, July p.158
Cable, Nylon-covered (Rochester Ropes)*, Sept. p.164
Calculator, fluid-flow (Foxboro Co.)*, Feb. p.170
Calculator operates by electric analogy*, Sept. p.139
Caliper, vernier, stainless-steel (George Scherr Co.)*, Sept. p.176
Camera, oscilloscope (DuMont Laboratories)*, Apr. p.194
Cams:
  and mechanisms, design of, July p.136
  circular-arc, analyzing, July p.129
  curvature formulas for profile-radius calculations (Data Sheet), Feb. p.159
  mechanism dynamic forces, discussion of, Jan. p.135
Capacitors, high-voltage (Sprague Electric)*, May p.164
Capacitors, miniature, tubular (Sprague Electric)*, Jan. p.158
Capacitors, plug-in, type QC, (Cornell-Dubilier)*, Mar. p.172
Car coupler, discussion of development, Aug. p.100
Carbon-graphite piston used on fluid meter (Applications)*, Aug. p.148
Carburizing of steel, discussion of, Nov. p.113
Case-hardening of steel, discussion of, Nov. p.112
Castings:
  investment, design of, Aug. p.139
  investment, discussion of, May p.91
  investment, for making milling cutters (Topics)*, June p.104
  investment, use silica-plastic as mold material (Topics)*, Mar. p.102
  pressure, aluminum (Lukens Aluminum Corp.)*, July p.158
  pressure, design of, Sept. p.118
  sand, design of (Topics)*, July p.88
Centering device, hydraulic (Patents)*, Nov. p.180
Centrifugal for e for sludge removal (Patents)*, Dec. p.184
Ceramic, alumina, sintered types for turbine blades (Topics)*, Feb. p.98
Ceramics used in turbine blades (Abstracts)*, Feb. p.196
Chain drives, standard (Link-Belt)*, May p.158
Chain, roller, controls knitting machine*, Apr. p.126
Chain, roller, used in printing press drive (Applications)*, Oct. p.134
Chain, roller, used on record selector (Applications)*, Aug. p.148
Chain, roller, uses snap rings (Atlas Chain)*, Dec. p.164
Check perforator has tripping circuits (D.O.M.)*, Feb. p.157
Chemical corrosion, prevention of through design, Feb. p.116
Chopper, plastic, rotary heavy-duty (D.O.M.)*, Sept. p.156
Circuit breakers, low-voltage, air (General Electric)*, July p.164
Circuit breaker, multiple (Square D Co.)*, Sept. p.163
Clamps, tubing (Holub Industries)*, Jan. p.160
Cloth, wire, high-strength (Michigan Wire Cloth)*, Nov. p.170
Clutches:
  automatic, fractional horsepower (Clark Clutch Div.)*, Aug. p.166
  automatic V-belt (W.S.K. Inc.)*, July p.157
  centrifugal, low horsepower (Saginaw Products)*, Oct. p.143
  discussion of, July p.134
  disk, heavy-duty (Wichita Falls Foundry & Machine Co.)*, Aug. p.160
  eddy-current, drive engine cooling fan (Scanning)*, Sept. p.104
  electromagnetic, use magnetic particles in oil, (Scanning), May p.99
  fluid, positive-displacement type, discussion of, Jan. p.115
  friction, (Morse Chain Co.)*, July p.155
  nonlocking, floating-disk (Carlyle Johnson Machine Co.)*, Oct. p.142
  oneway and anti-friction bearing combined (Patents)*, Jan. p.170
  overrunning, use minimum of wedging parts, (Scanning)*, Sept. p.105
  pneumatic-electric controlled (D.O.M.)*, Dec. p.150
  positive drive, discussion of (Patents)*, Apr. p.204
  use magnetic attraction (Patents)*, June p.190
  V-belt (V-Belt Clutch Co.)*, July p.160
  V-belt, automatic (Salsbury Corp.)*, Oct. p.139
Coatings (*see Finishes*)
Color, choice of, in machines, Sept. p.99
Composite-metal rotor (Patents)*, July p.172
Compressors:
  axial-flow, have small diameter (Scanning)*, Sept. p.105
  diaphragm-type (Kellogg Div., American Brake Shoe)*, June p.170
  discussion of, July p.141
  for low-temperature operation, (Scanning)*, Oct. p.94
  for pneumatic system, discussion of, June p.119
  operate without lubrication (Patents)*, Feb. p.174
Condensers: (*also see Capacitors*)
  copper-nickel (Revere Copper & Brass)*, May p.156
Conduit assemblies, custom made (General Electric)*, May p.156
Contactors, reversing, ac dc (Square D Co.)*, Nov. p.174
  solenoid, ac (Ward Leonard)*, July p.162
Contour projector, discussion of (D.O.M.)*, June p.160
Controls, (*also see specific control*)
  air-fuel ratio, (Leeds & Northrup Co.)*, Mar. p.170
  edge-position, pneumatic (Scanning)*, Dec. p.106
  electric, used in engine lathe (Scanning)*, June p.113
  electronic, speed, 3 hp (J. B. Lewis & Co.)*, Nov. p.166
  liquid-level, electronic (Lumenite Electronic Co.)*, Oct. p.140
  load, automatic, discussion of, Nov. p.109
  motor speed, saturable-core reactor, Sept. p.137
  photoelectric for paper cut-off, June p.122
  remote, torque (Eclipse Pioneer Div.)*, Nov. p.170
  sequence, uses endless belt, Apr. p.130
  temperature, electronic (Thomas A. Edison)*, Aug. p.164
  temperature, stepless (Thermo Electric Mfg. Co.)*, Mar. p.176
  variable-speed, electronic, (Smith Power Transmission)*, Mar. p.169
  variable-speed, electronic (Yardeney Laboratories)*, Mar. p.175
Conveyor belt for hot material (B. F. Goodrich Co.)*, Mar. p.171
Conveyor chain, flat-top, (Wade-Morrison)*, Feb. p.166
Conveyor, roller, gravity (Rapids-Standard)*, June, p.170
Coolant fed through porous grinding wheel (Scanning)*, Jan. p.109
Co-ordination of design and manufacturing, Nov. p.117
Corrosion elimination through design, Part I—causes of corrosion, Feb. p.116; Part II—design measures, Mar. p.142
Cost reduction, discussion of (Abstracts), Mar. p.204
Counters, photoelectric, multichannel (Potter Instrument)*, Aug. p.168
Counters, reset, general purpose (Veeder-Root Inc.)*, Sept. p.163
Couplings:
  flexible (American Flexible Coupling)*, Feb. p.163
  flexible (Certified Flexible Couplings)*, Feb. p.165
  flexible, absorb vibration (Patents)*, Nov. p.180
  flexible, ball-type (Gear Grinding Machine Co.)*, Jan. p.163
  flexible, fractional horsepower, (Climax Flexible Coupling)*, Aug. p.155
  flexible, low-torque (Climax Flexible Coupling)*, Sept. p.168
  flexible, pin-type (Dodge Mfg.)*, Jan. p.157
  flexible, tongue and groove type (Climax Flexible Coupling)*, Jan. p.164
  fluid, filling of (Patents)*, July p.172
  fluid, used in washing-machine agitator (Scanning)*, Jan. p.108
  hose, quick-soldering (Brockway Co.)*, Aug. p.156
  hydraulic, releases automatically (Applications)*, Sept. p.158
  hydraulic, self-contained (CraneVeyor Corp.)*, July p.160
  hydrostatic, delivers infinitely variable torques (Scanning)*, Nov. p.100
Crane structure built of aluminum alloys, July p.131
Cycling control for turret lathes, Apr. p.101
Cylinders:
  aluminum, discussion of, Nov. p.136
  double-acting, rotating (Skinner Chuck Co.)*, Feb. p.167
  hydraulic, method of forming to long lengths (Patents)*, Dec. p.182
  hydraulic, thrust equalizer*, Apr. p.129
  pneumatic, control of, Apr. p.119
  pneumatic cushion (Modernair Corp.)*, Nov. p.172
  pneumatic, integral valve type (Bellows Co.)*, Jan. p.163
  pneumatic, low-pressure (Entwistle)*, Dec. p.167

D

Damper, vibration, viscous (Scanning)*, Dec. p.106
Damping controlled in vibration mounts (Patents)*, Feb. p.174
Data Sheets:
  bearings, pivoted shoe, load capacity and friction of, Part I—thrust bearings, July p.151; Part II—journal bearings, Aug. p.149
  cam curvature formulas for profile radius calculations, Feb. p.159
  deflection of hollow shafts in torsion, calculating, May p.151
  differential drive, discussion of, June p.165
  hydraulic standards for industrial equipment, Dec. 155
  intermittent mechanisms, Part I, Sept. p.159; Part II, Oct. p.135; Part III, Nov. p.159
  planetary gear calculations, discussion of, Mar. p.165
  torsional vibration frequency calculation, Jan. p.153
Design:
  co-ordination with manufacture, Nov. p.117
  details influence production costs, May p.126
  for economical manufacture, Feb. p.101
  for morale in engineering department, Aug. p.89
  improvement procedure outlined (Abstract)*, Sept. p.198
  simplification, discussion of (Abstracts), Jan. p.194
  time and motion study principles in, Aug. p.121
Designer, characteristics of (Abstract)*, Oct. p.170
Dials, instrument, design of, June p.150
Diaphragms, nonmetallic, design of, June p.153
Diaphragms, rubber, Nylon-base (U. S. Rubber Co.)*, Oct. p.140
Dictating machine, magnetic wire (Peirce Wire Recorder)*, Feb. p.172
Die casting design, cores in, discussion of*, Aug. p.105
Differential insures drive-wheel traction, July p.143
Differentials, mechanical, bevel-gear (Arma Corp.)*, Sept. p.172
Differential registers synchronous speed, Apr. p.115
Diffraction gratings used for spectrographs (Topics)*, Feb. p.98
Dimension adder and subtractor (Elemoto Sales Co.)*, Sept. p.174
Dimensioning system based on Cartesian co-ordinates, Feb. p.135
Disk stresses, method for calculating, Feb. p.144
Disks, rotating, high temperature, design of, Dec. p.141
Distributor uses planetary system (Patents)*, May p.178
Dowel pins, alloy-steel (Standard Pressed Steel)*, Feb. p.164
Drafting:
  blueprint paper, photographic (Eastman Kodak)*, Feb. p.172
  compass, self-centering (Modern Gauge & Rule Co.)*, Nov. p.176
  desk, all steel (Haskell Mfg. Co.)*, July p.168
  distance-measuring instrument (Herman H. Sticht)*, Feb. p.170
  dry cleaner for drawings (Craftint Mfg. Co.)*, Mar. p.177
  ellipse-making machine, discussion of (Scanning)*, Nov. p.102
  flexible curve (Cook Specialty)*, Feb. p.172
  instrument set (V. & E. Mfg.)*, Dec. p.176
  kit, small size (Engineering Mfg. Co.)*, Sept. p.174
  machine (Charles Bruning Co.)*, Aug. p.172
  machine, stainless-steel (Emmert Mfg.)*, Dec. p.176
  paper, long-life (Clearprint Paper Co.)*, Aug. p.172
  paper, sketch, cross-ruled (Ogilvie Press)*, Feb. p.172
  pencil, drawing (A. W. Faber-Castell)*, Mar. p.177
  pencil pointers (Sutz Products)*, Feb. p.170
  pencil, refillable (Charles Bruning Co.)*, Mar. p.177
  pencil sharpener (Triple "E" Products Co.)*, Aug. p.172
  rule with indicator (Chowns Mfg. & Design Co.)*, Jan. p.168
  shading medium (Craftint Mfg.)*, June p.186
  stencils, three-dimensional (Charvoz-Roos Corp.)*, Sept. p.176
  T-square, plastic (Instrumaster)*, Dec. p.176
  template, electric (Rapidesign Inc.)*, Nov. p.176
  template, plastic (Rapidesign)*, Oct. p.146
  template, pocket-size (Rapidesign)*, Feb. p.170
  template, radius type (Rapidesign Inc.)*, June p.184
  template set (Rapidesign Inc.)*, May p.168
  template with electrical symbols (Rapidesign)*, Jan. p.168
  tool tray (Winslow Product)*, Apr. p.194

* Denotes short articles of less than one page.

tracing vellum, chemically shaded (Craftint Mfg.)*, Feb. p.170
Drawing reproduction unit, ammonia-type (Peck & Harvey)*, May p.166
Drive, epicyclic (American Brake Shoe Co.)*, June p.180
Drives, silent-chain (Morse Chain Co.)*, May p.160
Drives, symposium on, Apr. p.126
Drives, variable-speed, discussion of, Apr. p.169

E

Economical design, discussion of, Feb. p.101
Edge-position control (Scanning)*, Dec. p.106
Education, engineering, system of, Sept. p.123
Elastic matching improves bearing life and performance, May p.106
Electrets, discussion of (Scanning)*, Feb. p.107
Electric motors (*see Motors, electric*)
Electric test set, high-sensitivity (Precision Apparatus Co.)*, Oct. p.146
Electrical high-voltage parts, design of, June p. 123
Electrical safety code published (Topics)*, Aug. p.86
Electromotive series of metals, discussion of, Feb. p.119
Electronic circuits, printed (Scanning)*, Feb. p.107
Electronic device replaces vacuum tube (Scanning)*, Aug. p.95
Electronic lathe control, discussion of, (Abstracts)*, Aug. p.192
Ellipse drawing machine, discussion of (Scanning)*, Nov. p.102
Enamel, abrasion-resistant (Sherwin-Williams Co.)*, Nov. p.170
Enamel, low-gloss, synthetic (Sherwin-Williams Co.)*, July p.162
Enamel, metallic, high-gloss (Norfolk Paint)*, Dec. p.164
Enamel, porcelain, selection of (Abstracts), May, p.190
Engineering department: (*also see Drafting*)
  morale, discussion of, Aug. p.89
  organization and function, discussion of, July p.125
  organization of, for development, Sept. p.112
  personnel, selection of, Dec. p.133
Engineering education, proposed method of, Sept. p.123
Engines:
  crankshaft for, is circular cam (Scanning)*, Mar. p.115
  diesel (Cummins Engine Co.)*, Dec. p.174
  efficiency of, compromised with simplicity (Abstracts)*, Sept. p.200
  four-cycle, air-cooled, (Clinton Machine Co.)*, Mar. p.170
  jet and reciprocating, used together (Topics)*, Nov. p.92
  marine, research program, discussion of (Abstracts)*, Sept. p.202
  single-cylinder (Sensation Engine Co.)*, Aug. p.170
  single-cylinder four-cycle, (Gladden Products)*, Feb. p.166
  single-cylinder, two-cycle (Erie Engine & Mfg.)*, Apr. p.192
  single cylinder, two-cycle (Propulsion Engine Corp.)*, May 154
  single-cylinder, vertical-shaft (McCulloch Motors)*, Aug. p.166
  two-cylinder, four-cycle, air-cooled, (Wisconsin Motor Corp.)*, Mar. p.175
  vertical-shaft (Power Products Corp.)*, Sept. p.163
Erasing machine (Charles Bruning Co, Inc)*, Apr. p.194
Erasing machine, electric (Chicago Wheel)*, May p.168
Escapement, mechanical, discussion of, Apr. p.127
Extruded metal parts, discussion of, Aug. p.107
Extrusion, impact, discussion of, Feb. p.104
Extrusion press has constant extrusion-speed (Patents)*, May p.176

F

Fans, adjustable-blade (Joy Mfg. Co.)*, May p.158
Fan controlled by thermal unit (Applications)* Mar. p.164
Fans, cooling, centrifugal (Johnson Fan & Blower)*, Dec. p.166
Fasteners: (*also see specific type*)
  blind (Shakeproof Inc.), May p.155
  bolted assemblies, discussion of, Mar. p.153
  conveyor-belt (Flexible Steel Lacing Co.)*, July p.156
  projection welding of*, Aug. p.104
  studs, locking, leak-proof (National Screw & Mfg. Co.)*, July p.160
  wire (Scanning)*, Dec. p.109
Fatigue damage, measurement of (Scanning)*, Nov. p.100
Fatigue-test data, methods of obtaining, Oct. p.115
Feed, automatic, for roll grinder*, Apr. p.128
Feeder, vertical spiral (Syntron Co.)*, Dec. p.166
Feeding mechanism for gear shaver, discussion of (Scanning)*, Aug. p.95
File, drawing, flat (Stacor Equipment Corp.)*, Sept. p.174
Filling machine, vacuum and screw type (D.O.M.)*, Nov. p.155
Film, bonding, high-strength (Minnesota Mining)*, Dec. p.174
Filters, all-metal, for oil, (Air-Maze Corp.)*, Mar. p.169
Filters, compressed-air line (Hannifin Corp.)*, Dec. p.165
Filters, high-pressure, stainless-steel (Micro Metallic)*, Dec. p.166
Filters, hydraulic-oil (Machinery Equipment Div., Vickers)*, Feb. p.163
Finishes:
  aluminum, chemical (Americal Chemical Paint)*, Dec. p.170
  aluminum, oxide type (Topics)*, Feb. p.98
  corrosion-resisting (Enthone Inc.)*, Sept. p.166
  enamel, synthetic (Sherwin-Williams)*, Dec. p.170
  for machine parts, discussion of, Oct. p.125
  for springs, protective, Dec. p.128
  phosphate type for steel protection (Topics)*, Jan. p.98
  protective, organic (Industrial Metal Protectives)*, July p.166
  protective, organic (Sherwin-Williams)*, Aug. p.166
  protective, transparent (State Chemical Corp.)*, July p.164
  silicone paint retains color (Topics)*, Sept. p.96
  surface, designating (roughness), Dec. p.137
  vinyl resin, provide surface corrosion protection (Topics)*, Nov. p.92
Fittings:
  tube, automatically sealing (Roylyn Inc.)*, June p.180
  tube, flareless high-pressure (Flodar Corp.)*, July p.162
  tube, hydraulic (Flodar Corp.)*, Jan. p.159
  tube, hydraulic-pneumatic (Hansen Mfg. Co.)*, May p.155
  tube, quick-connecting, steam (Hansen Mfg. Co.)*, Apr. p.184
  tube, rapid (Electrimatic Div.)*, Aug. p.158
  tube, self-flaring (Scovill Mfg.)*, Dec. p.168
  tube, self-sealing (E. B. Wiggins)*, Nov. p.174
Flame hardener temperature controlled electronically (D.O.M.), May p.148
Flexure plates for instrument supports (Scanning)*, July p.98
Flow-control unit, (Hammel-Dahl Co.)*, Oct. p.140
Fluid actuated without piston (Patents)*, Nov. p.180
Fluid-flow calculator (Tube Turns Inc.)*, May p.168
Force measuring instrument (W. C. Dillon & Co.)*, July p.168
Forgings, welded, in shock absorbers (Applications)*, Mar. p.164
Fraction-adding chart (H. M. Edmunds Co.)*, Oct. p.146
Frequency converter for high-cycle motors (General Electric)*, Mar. p.174

G

Gage, oil sight (Oil Rite Corp.)*, Oct. p.139
Gaging by air-mercury, used on grinders (Scanning)*, June p.115
Gaging devices, air jet, discussion of, Jan. p.111
Galvanic corrosion, discussion of, Feb. p.118
Galvanic series of metals, Feb. p.119
Gas turbine speed reduction transmission, Feb. p.149
Gaskets, metallic, heavy-duty (U. S. Gasket & Shim Co.)*, Oct. p.143
Gears:
  boxes, bevel-gear type (Piezo Mfg. Corp.)*, Jan. p.158
  bushings, bonding of (Applications)*, Feb. p.158
  checking machine, discussion of, June p.128
  Cone-Drive, miniature*, Mar. p.158
  Cone-Drive, reduces size of drive (Applications)*, Nov. p.158
  flexible, offers torsional flexibility and self-alignment (Patents)*, Sept. p.178
  instrument, design of, Apr. p.163
  locked train, Dec. p.110
  noise, analysis of, Aug. p.133
  planetary, discussion of design, May p.133
  planetary gear calculations, (Data Sheet), Mar. p.165
  planetary, used in differential drives (Data Sheet), June p.165
  sector, noise reduction of, June p.131
  shaper has apron relief (D.O.M.)*, Feb. p.154
  shaver, feeding mechanism for (Scanning)*, Aug. p.95
  shoulder, shaved by conical cutter (Applications)*, Sept. p.158
  spur, floating center, discussion of*, Apr. p.129
  tapered, design of, Mar. p.125
  tooth loads, reduction of, Dec. p.110
  worm-spur combination for machine bed*, Apr. p.128
Generating system consists of alternator, regulator and rectifier (Scanning)*, Feb. p.109
Generators, dc, high-current (Clark Electronic)*, Sept. p.170
Geneva wheel, errors in design of, Sept. p.140
Glass-reinforced plastic parts, design of, Oct. p.103
Governor for fluid-driven devices (Patents)*, May p.178
Graphical record analysis, discussion of, June p.145
Graphite face seals, discussion of, Jan. p.127
Gravel plant, mobile, discussion of (D.O.M.)*, Nov. p.157
Grinder, automatic, for cutters, discussion of (D.O.M.), Mar. p.160
Grinder-comparator, discussion of, Jan. p.149
Grinder roller ways have low friction (D.O.M.), Mar. p.162
Grinder ways protected by simple design (D.O.M.), May p.146
Gyroscopes and their applications, discussion of, July p.101

H

Hardening, flame, of steel, discussion of, Nov. p.114
Hardening, flame, used on lathe ways (Applications)*, Nov. p.158
Hardening, induction, of steel, Nov. p.115
Heater, high-frequency plastic preform (D.O.M.)*, Sept. p.155
Heater, plastic preform, electronic (D.O.M.)*, Sept. p.156
High-speed machines, eliminating vibration in, Oct. p.118
Honing and lapping, discussion of, June p.133
Hooke's joint, discussion of, May p.101
Hose (*also see Tubing*):
  hydraulic, high-pressure (B. F. Goodrich Co.)*, Sept. p.170
Hydraulics:
  actuator, positive locking (Patents)*, Dec. p.184
  circuit analysis, Mar. p.149
  circuit used in speed recorder, Apr. p.114
  controls in road machines, discussion of, Sept. p.135
  couplings for variable-speed drive, Apr. p.149
  fluids have water base, July p.113
  motor speed controlled by hydraulic valve (Patents)*, Feb. p.174
  pitman for press, discussion of (Scanning)*, June p.114
  positioning device controls linear movement (Patents)*, June p.190
  power unit (Cleveland Republic Tool Corp.)*, June p.182
  power unit (Hydro-Power Inc.)*, June p.180
  power unit (Jerome Hydraulics Co.)*, July p.157
  power unit, 1000 psi (Hydraulic Press)*, Sept. p.170
  power unit, 1000 psi (Lyon-Raymond Corp.)*, Sept. p.166
  power unit, four-speed gearshift type (Lima Electric)*, Jan. p.158
  power unit, miniature (John Dusenbury Co.)*, Aug. p.160
  power unit, self-contained, (Hufford Machine Works)*, Mar. p.172
  power unit, self-contained, model PP-113 (Greer Hydraulics Inc.)*, Mar. p.173
  power unit, series 1400 (Roper Corp.)*, Mar. p.172
  power units, custom-built (Vickers Inc.)*, Jan. p.162
  pressure-control valve selection, Apr. p.105
  standards for, in industrial equipment (Data Sheet), Dec. p.155
  system, aircraft two-pressure type, discussion of, Feb. p.123
  system (Electrol Inc.)*, June p.182
  system design, Apr. p.181
  system, for signaling in PT boats (Applications)*, Dec. p.159
  torque converter handles heavy loads (Applications)*, May p.150
  torque converters, discussion of, Apr. p.152
  valve lifters in motorcycle engine, discussion of (D.O.M.), Aug. p.144

* Denotes short articles of less than one page.

I

Impact hammer has low torque reaction (Scanning)*, Aug. p.96
Impedance-measuring instrument (Sound Apparatus Co.)*, Feb. p.170
Indicator, remote type (Stevens-Arnold)*, Feb. p.165
Induction hardening, designing for, Aug. p.178
Induction heating, discussion of*, Aug. p.176
Injection molding machine, hydraulic (D.O.M.)*, Sept. p.154
Ink-bottle holder (Wayne Products Mfg. Co.)*, June p.186
Instrument, air-measuring (Anemostat Corp.)*, Nov. p.176
Instruments insure economical operation, Aug. p.132
Insulation, electric, inorganic (Johns-Manville)*, Oct. p.139
Insulation, pipe, cellular glass (Pittsburgh Corning)*, Oct. p.142
Insulation, thermal, plastic (U. S. Rubber)*, June p.176
Intercommunication set, two-way type (Lyman Electronics)*, Mar. p.177
Interlocks for machine protection, discussion of, Apr. p.131
Intermittent mechanisms, discussion of*, Aug. p.98
Intermittent mechanisms, design of (Data Sheet), Part I, Sept. p.159; Part II, Oct. p.135; Part III, Nov. p.159
Ionotron static eliminator reduces fire hazard (Applications)*, Jan. p.152
Iron, cast, specification of (Abstracts)*, Oct. p.168

J, K, L

Jet plane speed increased by afterburner*, Sept. p.188
Jig borer has optical measuring system (D.O.M.)*, Aug. p.146
Joints:
- constant velocity, discussion of, May p.101
- rotary (Deublin Co.)*, Sept. p.170
- rotary, pressure, self-supporting (Johnson Corp.)*, Aug. p.156
- swivel, all-metal (Seamlex Co.)*, Dec. p.165
- swivel, sanitary (Chiksan Co.)*, May p.160

Kirby, J. B., biography of, July p.106
Lamps:
- flash, high-speed (Amglo Corp.)*, Sept. p.176
- fluorescent, ceiling (Edwin F. Guth Co.)*, Aug. p.172
- fluorescent, ceiling (F. W. Wakefield Brass Co.)*, Jan. p.168
- fluorescent fixture (Shenley Electric Products Co.)*, July p.168
- indicator, assembly (American Electronics)*, July p.166
- neon-glow, indicator (American Electronic Corp.)*, Jan. p.163
- photographic, high-intensity (General Electric)*, Dec. p.176

Light, pilot, oil-tight (Square D Co.)*, May p.155
Landing gear for B-36 has four wheels (Scanning)*, Jan. p.110
Latches, access-door (Tinnerman Products)*, Nov. p.168
Lathe control, electronic, discussion of (Abstracts)*, Aug. p.192
Lathe, high-speed, development of, Jan. p.140
Lead coating serves dual purpose (Applications)*, Mar. p.164
Linear motion translated into rotary motion without error (Patents)*, Aug. p.174
Load control, automatic, discussion of, Nov. p.109
Load weighing device utilizes strain gages (Patents)*, Sept. p.178
Locked-train gears, Dec. p.110
Lockwashers, aluminum-spring (George K. Garrett Co.)*, Aug. p.170
Locomotive, turbine-electric, discussion of, May p.118
Lubrication:
- air-line, automatic (Hannifin Corp.)*, Nov. p.164
- automatic bearing (Acro Metal Stamping Co.)*, Sept. p.170
- extreme-pressure, powder (Alpha Corp.)*, Nov. p.165
- fittings (Lincoln Engineering Co.)*, May p.154
- for injection pump, requires no external lines (Patents)*, Aug. p.174
- graphite in suspension reduces metal surface tension (Topics)*, July p.88
- journal bearings, discussion of*, Aug. p.104
- material dry, withstands 100,000 psi bearing pressures (Topics)*, Oct. p.82
- oiler, unbreakable bottle (Trico Fuse Mfg. Co.)*, Mar. p.173
- silicone-types, discussion of (Abstracts), Feb. p.200
- system (Bijur Lubricating Corp.)*, Apr. p.182

M

Machinability of steels, tabulation on, Oct. p.89
Machines *(see specific machines)*
Magnesium for machine weight reduction (Applications)*, Dec. p.154
Magnesium parts, hot-forming of, Sept. p.143
Magnesium used for aircraft skin (Topics)*, July p.88
Magnets:
- Alnico-5, sintered (General Electric)*, Aug. p.162
- control tension in winder (Scanning)*, Aug. p.97
- employed in gas valve (Patents)*, Feb. p.174
- in drive obviates bearings and lubrication (Patents)*, Sept. p.178
- permanent, in design, discussion of, Oct. p.111
- plastic, called electrets (Scanning)*, Feb. p.107
- used for torque transmitting couplings (Applications)*, July p.150
- used in wool picker (Applications)*, Feb. p.158

Magnetic separators (Dings Magnetic Separator Co.)*, July p.159
Magnifier, table-type (Safety Center)*, Aug. p.172
Markers, wire and cable (Western Lithograph Co.)*, Oct. p.142
Materials *(also see particular material)*:
- cemented carbide reduces wear (Applications)*, Sept. p.158
- cemented carbide used for cams (Scanning)*, June p.114
- cemented carbides (Kennametal Inc.)*, Jan. p.157
- cobalt-base alloys, discussion of, Jan. p.107
- directory of, Oct. p.223
- discussion of engineering (Abstracts)*, Feb. p.198
- heavy-metal alloy (General Electric)*, Feb. p.163
- krypton provides high efficiency fluorescent lighting (Topics)*, Oct. p.82
- listed by types, Oct. p.283
- magnetic, developed by Japanese (Topics)*, Feb. p.98
- molybdenum useful at high temperatures (Abstracts)*, Nov. p.202
- powder metals, discussion of, Jan. p.107
- producers of, listing, Oct. p.287
- ramie, for pump packing (Topics)*, Sept. p.96
- titanium for aircraft parts (Topics)*, Sept. p.96
- tradenamed, listing, Oct. p.225

Mechanism, ball-release, discussion of, Nov. p.95
Mechanism proportions, solution of, Feb. p.111
Mechanisms, intermittent, design of (Data Sheet), Part I, Sept. p.159; Part II, Oct. p.135; Part III, Nov. p.159
Meehanite gears used in transmission (Applications)*, June p.164
Metals, improved, promise design progress, Jan. p.103
Meters, large dial, electric (Marion Electric)*, June p.174
Meter uses new magnetic bearing, June p.143
Microfilm camera-reader (Microstat)*, June p.184
Micrometer measurement by phototube, discussion of (Scanning)*, Oct. p.95
Micrometers, electric, remote-reading (Stevens-Arnold Inc.)*, Oct. p.144
Milling machine, design of (D.O.M.)*, July p.146
Models, plastic, test (Brown Pattern Works)*, Aug. p.170
Molding machine, plastic injection (D.O.M.)*, Sept. p.156
Molding, plastic injection (D.O.M.)*, Sept. p.157
Molding, plastic injection, hydraulic (D.O.M.)*, Sept. p.157
Molybdenum useful at high temperatures (Abstracts)*, Nov. p.202
Moment of inertia, determination of, Aug. p.138
Motor base, tension-controlling (Automatic Motor Base Co.)*, Jan. p.160
Motorcycle engine has hydraulic valve lifters, (D.O.M.), Aug. p.144
Motors, electric:
- auxiliary (General Electric)*, May p.160
- capacitor (Brown-Brockmeyer Co.)*, May p.164
- capacitor, fan (Electro Machines Inc.)*, Oct. p.140
- capacitor-start, single-phase (Westinghouse)*, Jan. p.161
- capacitor, fractional horsepower (Royal Electric Inc.)*, Mar. p.173
- capacitor, single-phase (Crozier Machine Tool Co.)*, July p.159
- corrosion resistant (Reliance Electric)*, May p.158
- fractional horsepower (Brown-Brockmeyer)*, Dec. p.172
- fractional-horsepower (General Die & Stamping Co.)*, Apr. p.188
- fractional-horsepower (Russell Electric Co.)*, Apr. p.184
- fractional-horsepower (Torq Electric Mfg. Corp.)*, Apr. p.190
- fractional-horsepower (Triad Engineering Co.)*, May p.154
- friction driven (Patents)*, Apr. p.204
- gear (Ohio Gear Co.)*, May p.162
- gear (Philadelphia Gear, Reliance Electric)*, Apr. p.182
- gear, axial-air gap (Fairbanks-Morse)*, Nov. p.172
- gear, braking-type (Lextro-Max Inc.)*, Aug. p.162
- gear, convertible into two or three-stage reduction model (Scanning), May p.98
- gear, horizontal and vertical (Falk Corp.)*, Nov. p.174
- gear, light-weight (Electra Motors Inc.)* July p.161
- gear, low-speed (United Electric Machinery)*, Sept. p.164
- gear, shaded-pole (E. L. Klauber)*, Apr. p.186
- gear, single-phase (Triad Engineering)*, June p.172
- gear, vertical-shaft, (Westinghouse)*, Mar. p.174
- induction (Westinghouse)*, Apr. p.192
- induction, adjustable-speed (General Electric)*, Jan. p.157
- induction, fractional-horsepower (T. C. Smith Mfg. Co.)*, July p.166
- induction, polyphase, 1800 rpm (Hertner Electric)*, Feb. p.166
- induction, shaded-pole (Alliance Mfg.)*, Jan. p.163
- induction, shaded-pole (Heinze Electric Co.)*, July p.158
- induction, shaded-pole (Russell Electric)*, Feb. p.163
- induction, shaded-pole (Russell Electric)*, May p.156
- induction, shaded-pole, fractional horsepower, (General Industries)*, Mar. p.169
- induction, shaded-pole, fractional horsepower (Redmond Co.)*, Mar. p.170
- induction, single phase (Westinghouse)*, Feb. p.167
- induction, squirrel-cage (Burke Electric Co.)*, Nov. p.168
- induction, squirrel-cage (Kurz & Root Co.)*, July p.155
- induction, squirrel-cage, two-pole (Electric Machinery Mfg. Co.)*, Mar. p.175
- induction, runs at 204,000 rpm (Topics)*, Mar. p.102
- induction, totally-enclosed (Westinghouse)*, Dec. p.168
- induction, wound-rotor (Westinghouse)*, Aug. p.156
- light-weight, high-speed (Kollsman Instrument Div.)*, July p.156
- midget, gap-ring type, weighs ¾-ounce (Scanning)*, Mar. p.115
- miniature, gap-ring (U. S. Instrument Corp.)*, Aug. p.164
- one-horsepower (Eicor Inc.)*, May p.157
- permanent-magnet, dc (Essell Corp.)*, Jan. p.157
- polyphase, integral-horsepower (Electric Boat Co.)*, Dec. p.170
- sanitary (Louis Allis Co.)*, Aug. p.158
- shell type, designing in, discussion of, Apr. p.157
- splash-proof, general purpose (A. O. Smith Corp.)*, June p.180
- stepping-type (Patents)*, Mar. p.178
- synchronous, instrument-type (Gleason-Avery Inc.)*, Jan. p.166
- variable-speed (U. S. Electric)*, Nov. p.166
- variable-speed, constant torque (Guernet Electrical Machinery Inc.)*, Mar. p.173
- vibrator-type (Piqua Machine & Mfg. Co.)*, June p.178
- vibratory (Patents)*, Apr. p.206
- wound-rotor, totally enclosed (Allis-Chalmers)*, Mar. p.173

Motors, gasoline *(see Engines)*
Motors, pneumatic, discussion of (Scanning), July p.98
Motors, rocket, Dec. p.101
Motors, timing, self-starting (R. W. Cramer Co.), Aug. p.155
Mount, for engine accessories, uses single bolt (Patents)*, Aug. p.174
Mounts, vibration (Lord Mfg. Co.)*, July p.155
Mounts, vibration (Lord Mfg. Co.)*, Oct. p.139
Movie, high-speed, used for mechanism analysis, Aug. p.127

N, O

Nameplates, stamped (Dayton Rogers Co.)*, Sept. p.170
Neoprene rubber, discussion of, Feb. p.140
Nitriding of steel, discussion of, Nov. p.115
Noise, gear, elimination of, Aug. p.133
Nondestructive testing, discussion of (Scanning)*, July p.99
Nondestructive testers, Reflectoscope (Sperry Products Inc.)*, July p.168

* Denotes short articles of less than one page.

Normalizing of steel, discussion of, Nov. p.112
Nuts:
fastener, high-strength, double-hex (Elastic Stop Nut)*, Sept. p.164
lock, spring (Grip Nut Co.)*, Nov. p.174
locking, reusable (Swallow Airplane Co.)*, July p.155
locking, vibration-proof (Boots Aircraft Nut Corp.)*, July p.161
locking, wing (Palnut Co.)*, May p.164
wing, zinc-alloy (Gries Reproducer Corp.)*, Aug. p.166
Nylon bushings withstand staking (Applications)*, May p.150
Nylon strip (Polymer Corp.)*, Aug. p.162
Oiler, gravity-fed with filter (Trico Fuse Co.)*, May p.160
Optical measuring system used in jig borer (D.O.M.)*, Aug. p.146

P

Packing, hydraulic, rod (Hydraulic Accessories)*, Dec. p.166
Packing, metallic, floating steel (Rodpak Mfg. Co.)*, Mar. p.171
Packing, shaft, chemical resistant (Crane Packing Co.)*, June p.170
Paint, silicone, retains color and gloss indefinitely (Topics)*, Sept. p.96
Pantograph employs novel ratio bar (D.O.M.), May p.147
Paper cutter (Hobbs Mfg. Co.)*, May p.166
Patents:
actuator, hydraulic, positive locking*, Dec. p.184
automatic valve for fuel pump*, July p.172
bearing, sleeve, pivoted-pad type*, Jan. p.170
boring spindle hydraulically actuated*, Sept. p.178
brushlike members used in variable-speed transmission*, June p.190
centering device, hydraulic*, Nov. p.180
clutch, one-way and anti-friction bearing combined, Jan. p.170
clutch, positive drive, Apr. p.204
composite-metal rotor, July p.172
compressor operates without lubrication, Feb. p.174
coupling, flexible, absorbs vibration*, Nov. p.180
cylinders, hydraulic, long, in sections*, Dec. p.182
damping control in vibration mounts*, Feb. p.174
distributor uses planetary system*, May p.178
electric motor friction-driven*, Apr. p.204
electric motor has stepwise speed change*, Mar. p.178
electromagnetic attraction used in clutch*, June p.190
fluid actuated without piston*, Nov. p.180
fluid couplings, filling of*, July p.172
gear drives resilient mounted to absorb shock*, Sept. p.178
gear, flexible, offers flexibility and self-alignment*, Sept. p.178
governor suitable for fluid-driven motors*, May p.178
hydraulic positioning device controls linear motion*, June p.190
hydraulic pump uses wobble-plate*, May p.174
hydraulic valve for motor speed control*, Feb. p.174
linear motion translated into rotary motion without error*, Aug. p.174
load weighing device utilizes strain gages*, Sept. p.178
lubrication, injection pump, requires no external lines*, Aug. p.174
magnet as used in gas valve*, Feb. p.174
magnetic drive obviates bearings*, Sept. p.178
motor, electric, reciprocatory, discussion of*, Apr. p.206
mount, engine, uses single bolts*, Aug. p.174
nonchattering hydraulic check valve*, May p.174
press has constant extrusion-speed*, May p.176
pump, fuel, controlled injection type*, Jan. p.170
pump, hydraulic, large-capacity, small-size*, Mar. p.178
pump is roller-cam actuated*, May p.176
pump suction selector provides uniform supply*, Mar. p.178
roller guide, two-way, single element*, Dec. p.182
rotary-vane pump has no springs*, July p.176
seal, guard ring for O-rings*, Jan. p.170
seal, rotary and hermetic*, Jan. p.170
seal, rotary, tubular element*, Dec. p.182
seal, shaft, unaffected by endplay or vibrations*, Aug. p.174
seals, shaft type, flexible, is oil flinger*, Jan. p.170
servo motor, minimum rotor inertia*, Dec. p.182
sludge removal by centrifugal force*, Dec. p.184
solenoid plunger has uniform pull*, Mar. p.178
thermostat eliminates angular motion*, May p.174
transmission mounting to absorb shock*, Sept. p.178
universal joint for hydraulic circuits*, Feb. p.174
valve, automatic, responds to two pressure systems*, Nov. p.180
valve, hydraulic, constant flow*, Dec. p.182
valve obviates accumulators*, May p.178
valve, positive, has no sliding parts*, Nov. p.180
ventilating system prevents oil leaks*, Nov. p.180
vibration damper for engines, discussion of*, Apr. p.206
welding, spot, for low-resistance metals*, July p.172
Photographic slide viewer (D.O.M.)*, Dec. p.151
Photocopying machine (American Photocopy)*, Sept. p.174
Photocopying machine (Eastman Kodak Co.)*, June p.184
Photocopying machine (General Photo)*, May p.166
Photocopying machine (General Photo)*, June p.186
Photoelectric control for paper cut-off, June p.122
Photoflash unit, high-speed (Photographic Products)*, June p.186
Pilot, automatic, weighs only 35 pounds (Topics)*, Feb. p.98
Pinions, serrated (Pittsburgh Gear Co.)*, June p.172
Pins, dowel, rust-resisting (Holo-Krome)*, Aug. p.156
Pipe, plastic (U. S. Rubber)*, Aug. p.164
Piston-pin checker (D.O.M.)*, Dec. p.153
Planetary design, a new approach to, Sept. p.141
Planetary gear calculations, discussion of (Data Sheet), Mar. p.165
Planetary gears in differential drives (Data Sheet), June p.165
Planetary variable stroke device, discussion of, Apr. p.117
Plastics:
acrylic sheets in large sizes (Rohm & Haas Co.)*, May p.158
cellulose acetate, water-white (Tennessee Eastman)*, Nov. p.172
develops static charge (Applications)*, Aug. p.148
glass-reinforced, design of parts, Oct. p.103
laminated, of glass-fiber and polyesters (Topics)*, Jan. p.98
model of, facilitates stress analysis, Jan. p.120
model of, facilitates valve analysis (Applications)*, Nov. p.158
Mycalex used for electrical cut-out (Applications)*, Jan. p.152
Nylon for gears and bearings requires no lubricant (Topics)*, July p.88
Nylon strip (Polymer Corp.)*, Aug. p.162
rubber-phenolic, compression-molding (General Electric)*, Nov. p.164
rubber-plastic compound (Goodyear Tire & Rubber)*, Dec. p.166
thermoplastic, tough, light-weight (U. S. Rubber)*, May p.164
used for thread tension pulleys (Applications)*, Oct. p.134
vinyl resin (Glenn L. Martin Co.)*, May p.162
vinyl copolymer (B. F. Goodrich Chemical)*, Mar. p.169
Plated metals, stresses in, discussion of, Nov. p.147
Plating used on ball bearings (Topics)*, Sept. p.96
Platings for machine parts, discussion of, Nov. p.145
Pneumatic blower disposes of paper trimmings (Application)*, July p.150
Pneumatics, discussion of, Part I—system and equipment, June p.116; Part II—development and research, July p.138
Pneumatic edge-position control (Scanning)*, Dec. p.106
Pneumatic-electric clutch control (D.O.M.)*, Dec. p.150
Porcelain enamel, selection of (Abstracts), May p.190
Positioning device, pneumatic (Hagan Corp.)*, July p.156
Positioning device utilizes accumulators (Scanning)*, Sept. p.106
Potato peeler, discussion of (D.O.M.)*, Oct. p.132
Potentiometers, low-torque, application of, May p.134
Powder metals, application in machine parts, June p.111
Power units, dc, selection of, June p.140
Predesign research, discussion of, Oct. p.96
Predesign research, discussion of (Abstracts)*, Jan. p.195
Preform conditioner, six-drawer (D.O.M.)*, Sept. p.156
Preheating unit, plastic, (D.O.M.)*, Sept. p.157
Press, compression molding, 50-ton (D.O.M.)*, Sept. p.154
Press, hydraulic injection (D.O.M.)*, Sept. p.155
Press, powder-metal, high-speed (D.O.M.)*, Dec. p.153
Press, preform, plastic molding (D.O.M.)*, Sept. p.155
Press, roll leaf stamping, (D.O.M.)*, Sept. p.154
Press, transfer molding (D.O.M.)*, Sept. p.155
Pressure control, manually adjusted (Thermix Corp.)*, Jan. p.162
Pressure regulators, discussion of, Jan. p.113
Pressure regulators for pneumatic systems, discussion of, June p.119
Pressure transmitters (G. M. Giannini)*, Jan. p.164
Prestressing, discussion of, July p.116
Printed electric circuits (Scanning)*, Feb. p.107
Printer, tracing, automatic (Ozalid Div.)*, Nov. p.176
Printing and developing machine (Ozalid Div.)*, Oct. p.146
Processes *(see Production)*
Production:
broaching, relay part made to high accuracy (Applications)*, May p.150
broaching utilized for removing burrs in stamping (Topics)*, Jan. p.98
casting, continuous, of steel (Topics)*, Sept. p.96
cold drawing, discussion of, Sept. p.129
contour-formed ring (Applications)*, Dec. p.159
cutting costs of through design, May p.126
extrusion, impact, discussion of, Feb. p.104
grinding, discussion of, Mar. p.135
processes, their influence on design, Part XXXI—automatic and shape turning, Feb. p.129; Part XXXII—production grinding, Mar. p.135; Part XXXIII—production grinding, design factors, May p.111; Part XXXIV—honing and lapping, June p.133; Part XXXV—superfinishing, July p.119; Part XXXVI—hot extrusion of metals, Aug. p.107; Part XXXVII—cold drawing, Sept. p.129; Part XXXVIII—spot welding, Nov. p.127; Part XXXIX—seam welding, Dec. p.115
shape turning, Feb. p.129
smelting, pressurized, provides for high production (Topics)*, Oct. p.82
soldering, induction, for radiators (Applications)*, Oct. p.134
spot welding, Nov. p.127
Superfinishing, July p.119
welding, Sept. p.147
welding, seam, discussion of, Dec. p.115
Program controls, the selection of, May p.137
Projection welding of fasteners*, Aug. p.104
Pulley, magnetic, separator (Eriez Mfg.)*, Sept. p.164
Pulleys, V-belt, integral clutch (Edgemont Machine Co.)*, Sept. p.172
Pulleys, variable-pitch (Gerbing Mfg.)*, July p.164
Pump base, tilting (Eagle Engineering)*, Feb. p.164
Pumps, fluid:
axial-flow, corrosion-resisting (Economy Pumps Inc.)*, Aug. p.156
centrifugal (Bowser Inc.)*, Aug. p.155
centrifugal, general-duty, single-stage (Peerless Pump Div.)*, Mar. p.176
controlled injection type (Patents)*, Jan. p.170
coolant (Allis-Chalmers)*, June p.170
coolant, immersed-type (Ruthman Machinery Co.)*, Jan. p.166
gearless (Eco Engineering Co.)*, June p.182
inlet has automatic suction selector, (Patents)*, Mar. p.178
metering, corrosion-resisting (Mechanical Products)*, Oct. p.144
rotary (Ellipse Corp.)*, July p.157
rotary-gear type (Paul Engineering Co.)*, Feb. p.168
rotary-vane, has no springs (Patents)*, July p.176
self-priming (Jabsco Pump Co.)*, Jan. p.157
sludge (Thomson Pump Div.)*, July p.161
turbine-type (Walter H. Eagan Co.)*, May p.156
Pumps, hydraulic:
diaphragm-type, cam-driven (Patents)*, May p.176
foot type (Lyon-Raymond Corp.)*, Apr. p.188
gear type (Aro Equipment Corp.)*, Apr. p.184
gear type (Sundstrand)*, Apr. p.192
gear-type, medium-pressure (Adel Precision Products)*, Feb. p.163
high-pressure (Dudco Products Co.)*, May p.157
large-capacity, small-size (Patents)*, Mar. p.178
medium-pressure (Sundstrand)*, Jan. p.160
piston-type (Miller Hydraulic)*, June p.176
piston-type, high-pressure (Blackhawk)*, Mar. p.175
vane-type, adjustable-volume (Racine Tool)*, p.174
wobble-plate type (Patents)*, May p.174

* Denotes short articles of less than one page.

Q, R

Quadric-crank mechanism, solution of, Feb. p.111
Reactor, saturable-core, motor control, Sept. p.137
Receivers, air (Dayton Rogers Mfg. Co.)*, Aug. p.170
Reciprocating mechanism in yarn spinner, Oct. p.108
Recorder, electronic, multiple-data (Foxboro)*, Dec. p.165
Recorder, strip-chart, Capacilog (Wheelco Instruments Co.)*, Mar. p.176
Recorders, data, magnetic-tape (Cook Research)*, Sept. p.174
Recording head, magnetic, tape (Indiana Steel Products)*, Nov. p.168
Rectifier stacks, selenium (General Electric)*, Nov. p.168
Rectifiers, selenium, heavy-duty (International Rectifier)*, July p.156
Reduction and reversing drives for gas turbines, Feb. p.149
Reels, extension-cord (Benjamin Reel)*, Nov. p.166
Refrigerator sealant, plastic (Armstrong Cork)*, May p.160
Regulating exciters, discussion of, Apr. p.171
Regulators, air-pressure, 150 psi (Hannifin Corp.)*, Nov. p.165
Relays:
  ac line (Guardian Electric)*, July p.157
  ac motor-starting (Potter & Brumfield)*, Nov. p.165
  armatures for (Guardian Electric)*, July p.162
  bank for indicator, assembly (Guardian Electric)*, June p.176
  close-differential, current (Automatic Switch)*, June p.180
  dc light-weight (C. P. Clare)*, Oct. p.142
  dc multicontact (General Electric)*, Feb. p.168
  dc, multipole, heavy-duty (Westinghouse)*, May p.162
  dc, sensitive (Comar Electric)*, Dec. p.174
  double-pole, miniature (Struthers-Dunn)*, Apr. p.190
  dust-tight, plug-in (C. P. Clare)*, Aug. p.170
  electronic control (Allied Control)*, Mar. p.169
  general-purpose, four-pole (Comar Electric)*, Feb. p.164
  high-speed, mercury-contact (Western Electric)*, Aug. p.166
  keying, small (Signal Engineering)*, July p.164
  memory (Phillips Control Corp.)*, June p.172
  motor-starting (RBM Div., Essex Wire)*, Aug. p.164
  multiple-arm (Signal Engineering & Mfg. Co.)*, Aug. p.168
  multipole, magnetic (Square D Co.)*, June p.169
  multi-purpose power (Allied Control)*, Jan. p.159
  photoelectric, modulated light (General Electric)*, Feb. p.167
  plug-in (Grayhill)*, Aug. p.168
  plug-in, high-speed (Stevens-Arnold)*, Mar. p.175
  prevent short cycling, Aug. p.106
  sensitive, low-power (Allied Control Co.)*, Oct. p.140
  single-pole, medium power (Allied Control Co.)*, June p.178
  small size, double-pole double-throw (Struthers-Dunn)*, Nov. p.164
  three-position, polarized (Sigma Instruments)*, Feb. p.164
  time-delay (Torq Electric Co.)*, Nov. p.172
  time-delay, motor-driven (Ward Leonard)*, May p.160
  totally enclosed, low-load (Sigma Instruments)*, Apr. p.182
  voltage, noncreeping (Automatic Switch)*, Aug. p.162
Release mechanism, ball type, discussion of, Nov. p.95
Remote control, discussion of (Abstracts)*, Nov. p.206
Research, its value to the designer, June p.107
Research preceding design, discussion of, Oct. p.96
Resins and varnishes, phenolic (General Electric))*, May p.157
Resistors:
  composition sealed and insulated (Ohmite)*, Jan. p.158
  metallic (Ward Leonard)*, Mar. p.176
  precision, wound type (Shallcross Mfg. Co.)*, Mar. p.171
  temperature-sensitive (General Electric)*, Oct. p.143
  variable, helical spring (Scanning)*, Oct. p.93
Ring deflection, calculation of, Mar. p. 131
Rings, retaining, spiral (Ramsey Corp.)*, Dec. p.172
Rivets, tubular, zinc-alloy (Gries Reproducer)*, Oct. p.144
Road machines feature hydraulic controls, Sept. p.135
Rocket motors, design problems in, Dec. p.101
Rocket motors, design of (Abstracts)*, July p.182
Rockets, V-2, problem of assembly (Abstracts)*, Nov. p.200
Roll feed device uses wedge action (D.O.M.)*, Oct. p.131
Roller guide, two way, single element*, Dec. p.184
Rotating disks, Dec. p.141
Rototrol speed regulator positions transfer car, May p.144
Rubber:
  comparison of types, Feb. p.138
  high-tensile, synthetic (Felt Products)*, Oct. p.144
  parts, molded and extruded, design of, Aug. p.115
  permeability of, June p.155
  synthetic, Hycar (B. F. Goodrich Chemical)*, Jan. p.163
Rzeppa joint, constant velocity type, discussion of, May p.104

S

Saran released as tradename for vinylidene chloride (Topics)*, Feb. p.98
Scale, dial type, discussion of, Nov. p.149
Scanner, photoelectric edge-guide (Langevin Mfg. Corp.)*, Sept. p.166
Screws, adjusting, ball-handled (Ohio Nut & Bolt)*, Aug. p.162
Screws, flat-head, socket, cap (Holo-Krome)*, Feb. p.166
Seals: *(also see Gaskets)*:
  guard ring for O-rings (Patents)*, Jan. p.170
  high-temperature, face-type, discussion of, Jan. p.127
  hydraulic, sliding, selection of, Nov. p.139
  rotary and hermetic (Patents)*, Jan. p.170
  rotary, nonlubricated (Durametallic Corp.)*, Sept. p.166
  rotary, shaft, vacuum-pressure (Gits Bros.)*, Dec. p.164
  rotary, tubular rubber element (Patents)*, Dec. p.182
  shaft, have long life (Patents)*, Aug. p.174
  shaft type, flexible (Patents)*, Jan. p.170
  silicone (Abstracts)*, June p.214
Sector gear noise, reduction of, June p.131
Selsyns, their utilization in machines, Mar. p.116
Servo motor, minimum rotor inertia (Patents)*, Dec. p.182
Servo motors and generators (Arma Corp.)*, Sept. p.168
Servo system, electronic (Askania Regulator Co.)*, May p.157
Shaft deflection (torsional), calculations (Data Sheet), May p.151
Shafts, flexible, used in adjustable drive, Apr. p.113
Shape turning, discussion of, Feb. p.129
Sheaves:
  adjustable (American Pulley Co.)*, Aug. p.155
  V-belt, pressed steel (Howry-Berg Steel & Iron Works)*, July p.156
  V-belt, tapered-bushing (Browning Mfg. Co.)*, May p.158
  variable-pitch, fractional horsepower (Dodge Mfg. Co.)*, Mar. p.169
Shock absorber uses compensating weight (Scanning)*, Feb. p.108
Shock resistance, redesigning for, Aug. p.127
Shot-peening increases life of gears (Applications)*, July p.150
Silicone rubbers, applications of (Abstracts)*, June p.212
Silicone rubbers, discussion of, Feb. p.142
Silicones as lubricants (Abstracts), Feb. p.200
Slide rule, log-log, all metal (Pickett & Eckel)*, May p.168
Slide viewer, photographic (D.O.M.)*, Dec. p.151
Slides, ball bearing, discussion of, Jan. p.138
Sludge removal by centrifugal force (Patents)*, Dec. p.184
Socket, electron-tube (American Phenolic)*, Apr. p.186
Soldering iron chemically heated (Scanning)*, Nov. p.102
Solenoid, has uniform pull (Patents)*, Mar. p.178
Solenoids, reciprocating (Trombetta Solenoid)*, June p.176
Solenoids, rotary, high-torque (G. H. Leland)*, Aug. p.158
Speed changers, miniature, high-ratio (Metron Instrument)*, June p.182
Speed recorder uses hydraulic circuit, Apr. p.114
Speed reducer, right-angle, gear (Michigan Tool)*, May p.157
Speed reducer, worm gear (Foote Bros.)*, Dec. p.164
Speed regulator assures accurate positioning, May p.144
Spindle belt drive, discussion of, Oct. p.108
Spinners, air-driven, design of, May p.121
Spline shafts and fittings, broaching of*, Aug. p.102
Spline shafts, hobs for*, Aug. p.103
Splines, experience with, discussion of*, Aug. p.102
Splines, straight-sided, discussion of, Aug. p.101
Spring acts as variable resistance, (Scanning)*, Oct. p.93
Springs, protective coatings for, Dec. p.128
Spot-welder makes wheel welds (D.O.M.)*, July p.148
Spring design, new approach to, Aug. p.98
Standards, hydraulic (Data Sheet), Dec. p.155
Starters, motor, across-the-line (Ward Leonard)*, Dec. p.164
Starters, motor, magnetic (Penn Electric)*, Oct. p.141
Starters, motor, magnetic (Ward Leonard)*, Dec. p.170
Starters, motor, with circuit breakers (Ward Leonard)*, Dec. p.172
Static eliminator reduces fire hazard (Applications)*, Jan. p.152
Steel:
  analysis of by radioactive tracing (Topics)*, July p.88
  continuous casting method (Topics)*, Sept. p.96
  high-alloy, discussion of, Jan. p.105
  stainless, acid resisting, No. 20 (Carpenter Steel)*, Mar. p.170
  stainless, standard types listing, Oct. p.281
  stainless, strip (Cold Metal Products)*, Aug. p.168
  stainless, wrought, discussion of Part I—properties and processability, Mar. p.107; Part II—fitting material to the part, Apr. p.174
  mill crane components standardized (Abstracts)*, July p.180
  selection, proper approach to (Abstracts), May p.192
  treatment of, Part I—selection, Oct. p.87; Part II—conditioning processes, Nov. p.110
Stiffening of flat machine panels, discussion of, Aug. p.118
Stool, drafting (Royal Metal)*, Apr. p.194
Strain gage, direct-reading (Brush Development)*, May p.166
Strain gages record machine load (D.O.M.)*, Feb. p.156
Strainers, fluid (Hays Mfg. Co.)*, July p.160
Straightedge, parallel-ruling (Engineering Mfg.)*, June p.186
Stress concentrations in magnesium castings, discussion of (Abstracts)*, May p.196
Stress corrosion of aircraft parts evaluated (Topics)*, Aug. p.86
Stresses measured by photoelastic resins (Topics)*, Mar. p.102
Stresses, trapped, use of in design, July p.114
Styling of Studebaker, discussion of (Abstracts)*, Nov. p.204
Switches:
  actuators for (Micro Switch)*, Jan. p.164
  actuators for (Square D Co.)*, May p.155
  automatic transfer (Automatic Switch Co.)*, Mar. p.175
  centrifugal (Euclid Electric)*, Dec. p.172
  door, interlock (Micro Switch)*, June p.174
  double snap-action (Unimax Switch)*, July p.164
  float, tube-enclosed (Hydro-Aire)*, Dec. p.167
  foot, heavy-duty (Naken Engineering)*, July p.160
  heavy-duty, time (Sangamo Electric Co.)*, June p.174
  hydraulic, pressure (Saval Co.)*, July p.166
  limit, rotating cam (Allen-Bradley)*, Dec. p.174
  magnetic proximity (Magneswitch Inc.)*, July p.157
  mercury, hermetically sealed (Mercontrol Inc.)*, Feb. p.167
  motor starting (Fitch, Allen & Co.)*, Nov. p.170
  motor starting, manual (General Electric)*, Nov. p.166
  multiple-contact (Eastern Specialty Co.)*, Sept. p.172
  photoelectric (John T. O'Connor)*, June p.178
  pressure-actuated, latching (Consolidated Vultee Aircraft)*, Oct. p.141
  pressure-actuated machine-tool (Square D Co.)*, Apr. p.186
  pressure, differential (Penn Electric)*, Nov. p.166
  selector, solenoid-operated (G. H. LeLand Inc.)*, Jan. p.166
  snap-action (Square D Co.)*, May p.154
  snap-action, high-pressure (Cook Electric)*, May p.156
  snap-action, open-blade (Acro Electric Co.)*, Oct. p.142
  starting, centrifugal (Torq Electric Corp.)*, Aug. p.160
  subminiature, lever type (General Control)*, Dec. p.165
  thermostatic (Burling Instrument)*, Aug. p.162
  thermal limit (Control Products Inc.)*, Mar. p.170
  time (General Electric)*, July p.158
Synchronizer, power (Taber Associates)*, Apr. p.186
Synchronous differential, engine synchronizing (Kollsman Instrument)*, Sept. p.166

* Denotes short articles of less than one page.

T

Tachometers:
adapter (Metron Instrument)*, Feb. p.172
electric, hand-type (General Electric)*, Mar. p.177
electric, instrument-board (Metron Instrument)*, Jan. p.159
electric, panel (Crown Industrial Products)*, Nov. p.170
head, lightweight (Metron Instrument)*, Aug. p.164
Temperature measuring device, discussion of (Scanning)*, Oct. p.95
Temperature pickup, high-output (G. M. Giannini)*, July p.164
Terminal block, plastic (Curtis Development)*, Mar. p.176
Terminal, plug-type (Aircraft-Marine Products)*, June p.174
Terminal strip, fanning (Howard B. Jones Div.)*, Jan. p.160
Terminals, solderless ignition cable (Aircraft-Marine Products)*, Jan. p.160
Test data, fatigue, method of obtaining, Oct. p.115
Testing instruments, impedence-measuring (Sound Apparatus)*, Feb. p.170
Thermal stresses, Dec. p.104
Thermostat has no angular motion (Patents)*, May p.174
Thickness gage uses radioactive isotopes (Scanning)*, July p.100
Thickness gaging accomplished with x-rays (Scanning)*, May p.100
Thickness-measuring instrument (Sperry Products Inc)*, May p.168
Thiokol rubber, discussion of, Feb. p.141
Time and motion study principles in design, Aug. p.121
Time control mechanisms, discussion of, July p.132
Timers:
bell-switch (M. H. Rhodes Inc.)*, Sept. p.172
coin-operated (American Time)*, Jan. p.162
electric, adjustable-pulse (R. W. Cramer)*, July p.159
flash, electric (Haydon Mfg. Co.)*, June p.169
interval, electronic (Photoswitch Inc.)*, Oct. p.143
interval, multipurpose (Haydon Mfg. Co.)*, Nov. p.164
interval, spring-wound (Lux Clock Mfg. Co.)*, July p.161
manual-reset (George Ulanet Co.)*, May p.162
manually controlled (Eagle Signal)*, Feb. p.168
mechanical control (Mechanical Industries)*, Apr. p.184
percentage (R. W. Cramer Co.)*, Aug. p.160
pneumatic, ac (Cutler-Hammer Inc.)*, Sept. p.168
pneumatic, motor-starting (Square D)*, Jan. p.159
repeat-cycle, (G. C. Wilson & Co.)*, July p.155
reset, instantaneous (Industrial Timer)*, Sept. p.164
Tires:
solid rubber (U. S. Rubber)*, Sept. p.168
tubeless are puncture-proof (Topics)*, Jan. p.98
Toggle positions washer drain valve (D.O.M.)*, June p.163
Torque converter drive, discussion of Buick Dynaflow, Mar. p.122
Torque converter, single-stage, discussion of, Apr. p.155
Torque converters used in 1948 Buicks (Topics)*, Feb. p.98
Torsion bars act as reactor springs (Scanning)*, Aug. p.97
Torsional deflection of hollow shafts, calculation of (Data Sheet), May p.151
Torsional vibration-frequency calculation (Data Sheet), Jan. p.153
Tracing-printing machine (Economy Blue Print)*, June p.184
Tracta joint, constant velocity, discussion of, May p.105
Transformer, machine tool (General Electric)*, Feb. p.165
Transformers, variable, in stress-strain instruments (Scanning)*, Feb. p.110
Transformers, Variac, high-capacity, (General Radio)*, Mar. p.171
Transistor serves as amplifier or oscillator (Scanning)*, Aug. 95
Transmission mounting to absorb shock (Patents)*, Sept. p.178
Transmissions:
gear-reduction (DoAll Co.)*, Dec. p.172
hydraulic, with sheave (Twin-Disk Clutch)*, Dec. p.167
reduction and reversing, gas turbine, in marine propulsion, Feb. p.149
variable-speed (Speed Selector)*, Aug. p.158
variable-speed (Sterling Electric)*, Feb. p.167
variable-speed (U. S. Electric Motors)*, Jan. p.164
variable-speed, analysis of development, Sept. p.107
variable-speed, belt (Toledo Timer Co.)*, Mar. p.172
variable-speed, fluid, symposium on, Apr. p.149
variable-speed, hydraulic (Rockwell Mfg.)*, Dec. p.168
variable-speed, hydraulic (Vickers Inc.)*, Jan. p.160
variable-speed, hydraulic, discussion of Dynaflow, Mar. p.122
variable-speed, reduction (Lombard Governor)*, Feb. p.168
variable-speed, uses brush-like gears (Patents)*, June, p.190
Tubing:
flexible, metallic (Titeflex Inc.)*, Jan. p.166
plastic, extruded (William Brand)*, Nov. p.170
thermoplastic, striped (William Brand & Co.)*, Oct. p.140
reduces weight of lawn mower (Applications)*, Jan. p.152
Turbine-electric locomotive, discussion of, May p.118
Turbines, steam, general-purpose (Westinghouse)*, Dec. p.165
Twin mount 50-caliber gun has high fire power*, Sept. p.127

U

Universal joint (Curtis Universal Joint Co.)*, June p.170
Universal joint for hydraulic systems (Patents)*, Feb. p.174
Unscrambler for bottling machine (Scanning)*, Jan. p.108

V

Vacuum cleaner, evolution of, July p.110
Valves:
air and hydraulic type (Hanna Engineering)*, Feb. p.164
air regulating (Hannifin Corp.)*, Mar. p.171
automatic for fuel pump (Patents)*, July p.172
automatic, responds to two pressure systems (Patents)*, Nov. p.180
ball-type (Paul Valve Corp.)*, Aug. p.158
check, spring (Pokorney Mfg.)*, July p.160
control, cylinder (Numatics)*, Oct. p.143
control, overload protection for, Apr. p.180
diaphragm control (Hammel-Dahl Co.)*, Sept. p.168
gate, 200 psi (Jenkins Bros.)*, Jan. p.161
gate, corrosion-resistant (Ohio Injector Co.)*, Oct. p.144
gate, motor-operated (Hydro-Aire)*, Oct. p.139
hydraulic, check, nonchattering (Patent)*, May p.174
hydraulic, constant-flow (Patents)*, Dec. p.182
hydraulic, foot-operated (Logansport Machine)*, Apr. p.184
hydraulic, four-way (Knox Industries)*, July p.162
hydraulic, high-pressure, solenoid (Automatic Switch)*, July p.155
hydraulic, pressure control, discussion of, Apr. p.105
hydraulic, regulating and reducing (A. W. Cash)*, Apr. p.192
hydraulic, relief (Parker Appliance)*, June p.176
hydraulic, relief, discussion of, May p.129
hydraulic, selector, cam operated (Electrol Inc.)*, June p.169
hydraulic selector, 4-way (Adel Precision Prod.)*, Apr. p.188
hydraulic, shut-off (Greer Hydraulics)*, May p.154
hydraulic, solenoid operated (Airmatic Valve)*, Apr. p.190
hydraulic, three-way, solenoid-controlled (Airmatic Valve)*, July p.158
hydro-pneumatic, flow-control (Pneu-Trol Devices)*, May p.158
hydro-pneumatic speed-control (Flo-Vel Co.)*, Jan. p.166
lubricator (Titeflex Inc.)*, Oct. p.141
motorized (Temperature Control Co.)*, Jan. p.159
needle (Parker Appliance Co.)*, Aug. p.155
needle, precision (Carpenter Mfg.)*, July p.159
obviate accumulators in hydraulic circuit (Patents)*, May p.178
plug, bronze, corrosion resistant (Ampco Metal)*, Sept. p.163
pneumatic, discussion of, June p.120
pneumatic, fast-cycling (Hannifin Corp.)*, Apr. p.182
pneumatic, four-way (Crescent Valve Co.)*, Jan. p.162
pneumatic, three-way (C. B. Hunt & Son)*, Apr. p.188
pneumatic, three-way (Mead Specialties)*, Dec. p.170
positive, have no sliding parts (Patents)*, Nov. p.180
regulating (Dayton Rogers)*, June p.180
relief, pilot type (Fluid Controls)*, Aug. p.158
selector, four-way (Saval Co.)*, Oct. p.141
selector, manual or automatic (Electrol)*, Nov. p.165
selector, solenoid-operated (Saval)*, Nov. p.165
solenoid, 150 psi (Johnson Corp.)*, Nov. p.164
solenoid-controlled (Crescent Valve)*, June p.172
solenoid, direct-operating (Airmatic Valve)*, June p.178
solenoid, direct-operating (Allied Control Valve Div.)*, Jan. p.161
solenoid, four-way (Hanna Engineering)*, Nov. p.165
solenoid, four-way (Mechanical Air Controls)*, Oct. p.142
solenoid-operated, control (Johnson Corp.)*, Jan. p.164
solenoid, self-closing (Hays Mfg. Co.)*, Aug. p.168
solenoid, three-way (Airmatic Valve)*, Aug. p.164
speed-control (Galland-Henning Mfg.)*, June p.182
vacuum-type (Kinney Mfg. Co.)*, Jan. p.163
Variable-speed transmissions *(see Transmissions)*
Ventilating system prevents oil leaks (Patents)*, Nov. p.180
Vibration-controlling mount on 1948 Buick (Scanning)*, Feb. p.109
Vibration damper for engines (Patents)*, Apr. p.206
Vibration damper, viscous (Scanning)*, Dec. p.106
Vibration in high-speed machines, elimination of, Oct. p.118
Vibration recorder, mechanical, discussion of, Jan. p.133
Volt-ampere wattmeter (Hickok Electrical)*, Oct. p.146
Volt-ohmmeter, electric (Hickok Electrical)*, Apr. p.194
Voltage regulator, electro-mechanical (Superior Electric)*, Jan. p.162
Voltage regulators, electronic (Superior Electric)*, Feb. p.165
Voltage stabilizer, automatic (General Electric)*, Dec. p.168
Voltage stabilizer (Raytheon Mfg.)*, Dec. p.168

W

Washing machine, discussion of, July p.110
Watches, stop, precision (Herman H. Sticht)*, Sept. p.176
Wear measurement, discussion of method (Scanning)*, Mar. p.114
Wedge, hydraulically-actuated, used for locking shaper head (D.O.M.)*, June p.161
Welded forgings used for shock absorbers (Applications)*, Mar. p.164
Welded joint strains, toughness of (Topics)*, Aug. p.86
Welder has new magnetic circuit (D.O.M.)*, Feb. p.155
Welding:
bulldozer constructed by means of, Jan. p.143
designing for, Sept. p.147
inert-gas process (Scanning)*, Dec. p.107
machine for cylinders, discussion of (D.O.M.)*, Nov. p.154
dust shields (Applications)*, Feb. p.158
projection, of fasteners*, Aug. p.104
seam, in design, Dec. p.115
spot, discussion of, Nov. p.127
spot, for low-resistance metals (Patents)*, July p.172
spot, guns, standardization of*, July p.188
rocket motors, of, Dec. p.103
Wheel alignment adjusted by gage (Scanning)*, Nov. p.101
Wheel alignment device, discussion of (D.O.M.)*, Oct. p.130
Wheels, swiveling, reduce aircraft landing problems, (Scanning)*, Sept. p.106
Wheels, water-tight (Aerol Co.)*, July p.161
Wire connectors, solderless (Holub Industries)*, Aug. p.170
Wire, electric, water-resistant (U. S. Rubber)*, Sept. p.168
Wire fastener (Scanning)*, Dec. p.109
Wire making, early methods of (Abstracts)*, Nov. p.208

X, Y

X-ray image amplification, discussion of (Scanning)*, July p.100
X-ray motion pictures used for inspecting engines (Topics)*, June p.104
Yarn spinner design, discussion of, Oct. p.108

* Denotes short articles of less than one page.